






# 機能説明資料

品名 : HS-3614W




開発元 : POSIFLEX TECHNOLOGY, INC.

# 業務フロー図



# カタログ

**POSIFLEX**



Taking Space Saving to Extremes

HS-3610W/HS-3612W/HS-3614W

Space Saving All-in-one POS Terminal

# カタログ

## HS-3610W/HS-3612W/HS-3614W

Specification	HS-3610W	HS-3612W	HS-3614W
Processor	Intel Elkhart Lake Celeron J6412, up to 2.60 GHz, 1.5M Cache		
System Memory	DDR4 SO-DIMM x 2, max. 32GB		
Storage Device	M.2 connector [supporting AHCI mode] x 2		
TPM	Yes, TPM 2.0		
Power Supply	24V/100W		
Built-in Printer	PP-7900, 3" speedy thermal printer, 250 mm/sec (max.)		
Built-in WiFi	N/A		
OS Support	Windows 10 IoT LTSC / Windows 11 IoT LTSC		
<b>Display &amp; Touch</b>			
LCD	9.7" TFT LCD	12" TFT LCD	14" TFT LCD
Resolution	1024 x 768	1024 x 768	1366 x 768
Touch	True-flat PCAP touch with multi-touch support		
<b>I/O &amp; Expansion</b>			
Serial Port	3, DB9 x 2 + RJ45 x 1, 5V/12V support on all COM ports		
Parallel Port	Yes		
Standard USB Port	4, USB 3.0 x 1 + USB 2.0 x 3		
OTG USB	N/A		
LAN Port	10/100/1000 Mb x 1		
Display Port	VGA x 1, 12V support for Posiflex monitors		
CR Port	1, controlling 2 CR (24V drive)		
PS/2 Port	Yes		
Audio	Line-out / Mic-in combo x 1		
Expansion Slot	M.2 slot x 1		
<b>Physical Dimension</b>			
Dimensions (W x D x H in mm)	244 x 210 x 437	297 x 210 x 476	371 x 210 x 476
Weight (N. W. in kg)	4.2	5.3	5.8
<b>Environmental</b>			
Operating Condition	0°C - 40°C, 20%RH - 90%RH		
Storage Condition	-20°C - 70°C, 10%RH - 90%RH		
<b>Built-in Options</b>			
WiFi	M.2 WiFi/BT module		
MSR	3 tracks ISO or JISII (HID/VCOM selection)		
Fingerprint Sensor	Optical type		
RFID Reader	Support MIFARE Ultralight and Classic 1K card (HID/VCOM Selectable)		
Scanner	2D barcode scanner		
iButton	Yes (cannot coexist with Fingerprint Sensor)		
4G / LTE Communication	Single SIM slot, selected band support		
<b>Attachment Options</b>			
POS Monitor	Non-touch TFT LCD: 7"/9.7"/12.1"; PCAP touch TFT LCD: 9.7"		
Line Display	2 x 20 rear-mount VFD customer line display; 2 x 20 rear-mount LCD customer line display;		

\* Designed and Manufactured in Taiwan by Posiflex Technology, Inc. \* The product information and specifications are subject to change without prior notice.  
\* Please refer to the website for more attachment options.



**POSIFLEX**

**POSIFLEX TECHNOLOGY, INC.**

No. 23, Datong St., Tucheng Dist., New Taipei City 23679, Taiwan  
Tel : +886-2-2268-5577 E-mail : sales@posiflex.com.tw  
Fax : +886-2-2268-5388 www.posiflex.com

Authorized Distributor / Reseller